

SAFETY DATA SHEET

TE001 Tungsten Electrodes Electrodes (Non Thoriated)



Version number: 1
Replaces SDS: 2009-11-23
Issued: 2014-01-21

Not for sale in the USA

Section 1. IDENTIFICATION OF THE SUBSTANCE / MIXTURE AND OF THE COMPANY / UNDERTAKING

1.1 Product identifier

Trade name
Article-No

Linde Tungsten Electrode, Linde E3.

Product/Article	Diameter(inch)	Packaging (pk/ea)	Part Number
Linde Tungsten Electrode GRND E3	5/32 x 7	10	11257661
Linde Tungsten Electrode GRND E3	3/32 x 7	10	11257660
Linde Tungsten Electrode GRND E3	3/32 x 7	3	11257655
Linde Tungsten Electrode GRND E3	.020 x 7	10	11257656
Linde Tungsten Electrode GRND E3	.040 x 7	10	11257657
Linde Tungsten Electrode GRND E3	1/16 x 7	10	11257658
Linde Tungsten Electrode GRND E3	1/16 x 7	3	11257653
Linde Tungsten Electrode GRND E3	1/8 x 7	10	11257659
Linde Tungsten Electrode GRND E3	1/8 x 7	3	11257654
Linde Pure Tungsten	3/32 x 3	10	11194344
Linde Pure Tungsten	1/16 x 7	10	11193363
Linde Pure Tungsten	1/8 x 7	10	11193360
Linde Pure Tungsten	3/16 x 7	5	11193381
Linde Pure Tungsten	5/32 x 7	10	11193357
Linde Pure Tungsten	3/32 x 7	10	11194345
Linde Pure Tungsten	.020 x 7	10	11194342
Linde Pure Tungsten	1/8 x 3	10	11194343
Linde Pure Tungsten	.040 x 7	10	11194350
Linde Pure Tungsten	1/16 x 3	10	11194351
Linde Lathanated Tungsten	.040 x 7	10	11193380
Linde Lathanated Tungsten	1/16 x 7	10	11193379
Linde Lathanated Tungsten	1/8 x 7	10	11193378
Linde Lathanated Tungsten	3/32 x 7	10	11193374
Linde Lathanated Tungsten	5/32 x 7	10	11193377
Linde Lathanated Tungsten	3/16 x 7	10	11193371
Linde Lathanated Tungsten	.020 x 7	10	11194347
Linde Zirconium Tungsten	.040 x 7	10	11193361
Linde Zirconium Tungsten	1/16 x 7	10	11193358
Linde Zirconium Tungsten	1/8 x 7	10	11193368
Linde Zirconium Tungsten	3/16 x 7	10	11193372
Linde Zirconium Tungsten	3/32 x 7	10	11193365
Linde Zirconium Tungsten	5/32 x 7	10	11193370
Linde Ceriated Tungsten	5/32 x 7	10	11193355
Linde Ceriated Tungsten	.020 x 7	10	11194346
Linde Ceriated Tungsten	.040 x 7	10	11194349
Linde Ceriated Tungsten	3/32 x 7	10	11193385
Linde Ceriated Tungsten	1/16 x 7	10	11194353
Linde Ceriated Tungsten	1/8 x 7	10	11194355
Linde Ceriated Tungsten	3/16 x 7	10	11194356

SAFETY DATA SHEET

TE001 Tungsten Electrodes Electrodes (Non Thoriated)



Version number: 1
Replaces SDS: 2009-11-23
Issued: 2014-01-21

1.2 Relevant identified uses of the substance or mixture and uses advised against

Article type	GTAW (TIG) Gas tungsten arc welding ISO 6848/AWS SFA A5.12
Use	Gas shielded Arc welding

1.3 Details of the supplier of the safety data sheet

Supplier	Linde Canada Limited
Street address	5860 Chedworth Way, Mississauga Ontario L5R 0A2 Canada
Telephone	1-866-385-5349
Fax	905-501-1717
Email	info.lg.ca@linde.com

1.4 Emergency telephone number

Available outside office hours	Yes
Emergency phone number	(24 Hour) : (905) 501-0802 or CHEMTREC (800) 424-9300

Other

Additional product information	Web site: www.lindecanada.com
---------------------------------------	---

Section 2. HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

Classification according to applicable national regulations.

2.2 Label elements

Refer to label.

2.3 Other hazards

When the product is used in the welding process the most important hazards are:
Overexposure to fumes and gases from welding can be dangerous to health.
Watch out for splatter, hot metal and slag. It may cause skin burn and cause fire.
Arc rays can injure eyes and burn skin. Electric shock can kill. Avoid touching live electrical parts.

SAFETY DATA SHEET

TE001 Tungsten Electrodes Electrodes (Non Thoriated)



Version number: 1
Replaces SDS: 2009-11-23
Issued: 2014-01-21

Section 3. COMPOSITION / INFORMATION ON INGREDIENTS

3.1 Substances

This product is a mixture and please refer to Section 3.2

3.2 Mixtures

AWS Classification	W (min.) %	CeO ₂ %	La ₂ O ₃ %	ZrO ₂ %	Other oxides or elements (total max)
CAS Number	7440-33-7	1306-38-3	1312-81-8	1314-23-4	
EWP	99.5	-	-	-	0.5
EWCe-2	97.3	1.8-2.2	-	-	0.5
EWL _a -1	98.3	-	0.8-1.2	-	0.5
EWL _a -1.5	97.8	-	1.3-1.7	-	0.5
EWL _a -2	97.3	-	1.8-2.2	-	0.5
EWZr-1	99.1	-	-	0.15-0.40	0.5

Section 4. FIRST AND MEASURES

4.1 Description of first aid measures

Inhalation	IF INHALED: If breathing is difficult, remove to fresh air and keep at rest in a position comfortable for breathing. Call a physician if symptoms occur.
Skin contact	Burns should be treated by a doctor.
Eye contact	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Burns from radiation, see doctor.
Ingestion	Contact a doctor if more than an insignificant amount has been swallowed.

4.2 Most important symptoms and effects, both acute and delayed

Inhalation	Inhalation of vapours may cause irritation of the respiratory system in very susceptible persons.
-------------------	---

4.3 Indication of any immediate medical attention and special treatment needed

Not available

SAFETY DATA SHEET

TE001 Tungsten Electrodes Electrodes (Non Thoriated)



Version number: 1
Replaces SDS: 2009-11-23
Issued: 2014-01-21

Section 5. FIRE-FIGHTING MEASURES

5.1 Extinguishing media

Suitable extinguishing media

Carbon dioxide (CO₂), powder or diffuse jet of water. In case of major fire: Extinguish fire with diffuse jet of water or foam.

5.2 Special hazards arising from the substance or mixture

Not available

5.3 Advice for fire fighters

Special protective equipment for fire fighters

No specific measures required for these electrodes prior to gouging.

Gouging should not be carried out in the presence of flammable materials, vapours, tanks, cisterns and pipes and other containers which have held flammable substances unless these have been checked and certified safe.

During a fire, irritating/toxic smoke and fumes may be generated. Do not enter fire area without proper protection. Firefighters should wear proper protective equipment and self-contained breathing apparatus with full facepiece. Shield personnel to protect from venting, rupturing or bursting cans. Move containers from fire area if it can be done without risk. Water spray may be useful in cooling equipment and cans exposed to heat and flame.

Section 6. ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

General ventilation and local fume extraction must be adequate to keep fume concentrations within safe limits. Use respiratory equipment when welding in a confined space. Wear protective clothing and eye protection appropriate to arc welding. Skin contact should be avoided to prevent possible allergic reactions.

6.2 Environmental precautions

Try to prevent the material from entering drains or water courses.

6.3 Methods and material for containment and cleaning up

Not applicable

6.4 Reference to other sections

For *Personal protection* see section 8. For *Disposal* see section 13. For *Environmental precautions* see section 12. For *Precautions for safe handling* see 7.1.

Section 7. HANDLING AND STORAGE

7.1 Precautions for safe handling

Preventive handling precautions

Ensure adequate ventilation for the welder and others. Use respiratory equipment when welding in a confined space. Wear protective clothing and eye protection appropriate to arc welding. Remove all flammable materials and liquids before welding.

General hygiene

Wash hands before breaks and immediately after handling the product.

7.2 Conditions for safe storage, including any incompatibilities

Store welding consumables inside a room without humidity. Do not store welding consumables directly on the ground or beside walls. Store away from chemical substances like acids which could cause chemical reactions.

7.3 Specific end use(s)

Welding process.

SAFETY DATA SHEET

TE001 Tungsten Electrodes Electrodes (Non Thoriated)



Version number: 1
Replaces SDS: 2009-11-23
Issued: 2014-01-21

Section 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

8.1 Control parameters

Welding fume component	CAS №	TVL- TWA	TLV-STEL
Tungsten and compounds (as W)			
Soluble	7440-33-7	1mg/m ³	3mg/m ³
Insoluble		5mg/m ³	10mg/m ³
Zirconium compounds (as Zr)	7440-67-7	5mg/m ³	-
Thorium compounds (as Th)	7440-29-1		
Nitrogen dioxide (NO ₂)	10102-44-0	0.2 ppm	-
Ozone (O ₃)	10028-15-6		
Nitrogen monoxide (NO)	10102-43-9	25ppm	-

8.2 Exposure controls

Environmental Exposure Controls – Refer to Section 6 of this SDS

Technical precaution measures

General ventilation and local fume extraction must be adequate to keep fume concentrations within safe limits.

Eye / face protection

Wear eye protection appropriate for welding.

Safety gloves

Skin contact should be avoided to prevent possible allergic reactions.

Other skin protection

Wear body protection which helps to prevent injury from radiation, sparks and electric shock.

Respiratory protection

Use respiratory equipment when welding in a confined space. Wear protective clothing and eye protection appropriate to arc welding.

SAFETY DATA SHEET

TE001 Tungsten Electrodes Electrodes (Non Thoriated)



Version number: 1
Replaces SDS: 2009-11-23
Issued: 2014-01-21

Section 9. PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

Appearance, colour	Grey
Appearance, physical state	Rod
Auto-ignition temperature	Not applicable
Auto-flammability	Not auto-flammable
Decomposition temperature	Not applicable
Evaporation rate	Not applicable
Explosive properties	Not explosive
Flammability (solid gas)	Not applicable
Flash point	Not applicable
Form	Fast
Initial boiling point and boiling range	5828K
Melting point / Freezing point	Not available
Odour	Odourless
Odour threshold	Not available
Oxidising properties	Not available
Partition coefficient: n-octanol / water	Not applicable
pH value	Not applicable
Relative density	Not applicable
Solubility	Not available
Solubility in water	Insoluble
Upper / lower flammability or explosive limits	Not applicable
Vapour density	Not applicable
Vapour pressure	Not applicable
Viscosity	Not applicable

9.2 Other information

Not applicable

Other

Density	Depending on alloy grade 18.8g/cm ³ to 19.2g/cm ³
----------------	---

SAFETY DATA SHEET

TE001 Tungsten Electrodes Electrodes (Non Thoriated)



Version number: 1
Replaces SDS: 2009-11-23
Issued: 2014-01-21

Section 10. STABILITY AND REACTIVITY

10.1 Reactivity

Not available

10.2 Chemical stability

Stable under the recommended storage and handling conditions prescribed. Hazardous polymerization will not occur. Incompatible materials and conditions to avoid are usually related to welding.

10.3 Possibility of hazardous reactions

Not available

10.4 Conditions to avoid

None under normal conditions

10.5 Incompatible materials

Not available

10.6 Hazardous decomposition products

Welding fumes and gases. Additional fume may arise from coatings and contaminants on the base material.

Hazardous combustion products - Carbon oxides and other irritating/toxic fumes and smoke.

Welding fume component	CAS №	Classification (67/548EEC)	CLP (1272/2008)		Concentration of classified fume components
Tungsten and its compounds (W)	7440-33-7	-	-	-	>95.8
					0.8 to 4.2
Classification	H phrase	Text			
Acute Tox.: Category 4	H302	Harmful if swallowed			
	H312	Harmful in contact with skin			
	H332	Harmful if inhaled			

The Classification information above relates to the fume during use

SAFETY DATA SHEET

TE001 Tungsten Electrodes Electrodes (Non Thoriated)



Version number: 1
Replaces SDS: 2009-11-23
Issued: 2014-01-21

Section 11. TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects

Conditions to avoid: none in the form supplied

When welding, fumes and gases generated can be dangerous to health.

Acute toxicity	Excessive exposures may affect human health, as follows: Aspiration may cause pulmonary oedema and pneumonitis Short-term overexposure can cause dizziness, nausea and irritation of the nose, throat or eyes.
Irritation	Not available
Corrosive effects	Not available
Sensitisation	May cause sensitisation by skin contact
Mutagenicity	Not available
Carcinogenicity	Welding fumes are possibly carcinogenic to humans
Repeated dose toxicity	Not available
Reproductive toxicity	Not available
Synergistic materials	Not available

Section 12. ECOLOGICAL INFORMATION

12.1 Toxicity

The welding process can effect the environment if fume is released directly into the atmosphere.

Acute fish toxicity	LC ₅₀ Fish 96h: 15.6mg/L (rainbow trout, oncorhynchus mykiss,28d) Aluminiumoxide: >100 mg/l Salmo trutta
Amphibians toxicity	IC ₅₀ Amphibians 72h: 2.9mg/L (toad,gastrophryne carolinensis, 7d)

12.2 Persistence and degradability

Not available

12.3 Bio accumulative potential

No data available

12.4 Mobility in Soil

Not available

12.5 Results of PBT and vPvB assessment

Not available

12.6 Other adverse effects

Not available

SAFETY DATA SHEET

TE001 Tungsten Electrodes Electrodes (Non Thoriated)



Version number: 1
Replaces SDS: 2009-11-23
Issued: 2014-01-21

Section 13. DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods

Disposal considerations

Dispose of any product, residue or packing material according to national and local regulations. Spent fume extraction filters shall be disposed of as dangerous waste.

Other

Waste code

Packaging and rod scrap should be disposed of as general waste or recycled. No special precautions are required for this product. Fume collected from extraction units should be disposed of in accordance with local regulations (including Provincial and Federal Regulations). Collect all spillage.

Section 14. TRANSPORT INFORMATION

14.1 UN number

Not applicable

14.2 UN proper shipping name

Not applicable

14.3 Transport hazard class(es)

Not applicable

14.4 Packing group

Not applicable

14.5 Environmental hazards

Not applicable

14.6 Special precautions for user

Not applicable

14.7 Transport in bulk

Not applicable

Other

Dangerous goods

No special requirements are necessary in transporting these products.
Transportation of Dangerous Goods Regulations (TDGR):
TDG Classification: NOT REGULATED
Special case: N/Ap

SAFETY DATA SHEET

TE001 Tungsten Electrodes Electrodes (Non Thoriated)



Version number: 1
Replaces SDS: 2009-11-23
Issued: 2014-01-21

Section 15. REGULATORY INFORMATION

15.1 Safety, health and environmental regulations / legislation specific for the substance or mixture.

EU regulations
National regulations

Refer to national Regulations.
WHMIS Label Information: **WARNING.** Do not remove or cover this Warning. Protect yourself and others. Read and understand this information. Electric shock can kill. Keep your head out of the fume. Arc rays and fume can affect others in your workplace. Comply with your employer's safety practices and procedures: protect others.
Safety data sheet available on request from www.lindecana.com.
WHMIS information: Product is regulated according to the Controlled Product Regulations (CPR) in Canada. This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and this SDS contains all the information required by the CPR.
WHMIS classification: D2A - Toxic Material with other effects.

15.2 Chemical safety assessment

Not available

Section 16. OTHER INFORMATION

References to key literature and data sources

The customer should provide this Safety Data Sheet to any person involved in the materials use or further distribution. The Linde Group requests the users (or distributors) of this product to read this Safety Data Sheet carefully before usage.

Prepared by LINDE CANADA LIMITED

References

Safety Data Sheets from manufacturer/supplier.
Canadian Centre for Occupational Health and Safety, CCInfoWeb databases, 2014.

Phrase meaning

Abbreviations

ACGIH American Conference of Governmental Industrial Hygienists
CAS Chemical Abstract Service
IARC International Agency for Research on Cancer
LC Lethal concentration
LD Lethal Dosage
N/Ap Not applicable
N/Av Not available
NIOSH National Institute for Occupational Safety and Health
STEL Short-term Exposure Limit
TLV Threshold Limit Value
TWA Time Weighted Average
WHMIS Workplace Hazardous Materials Information System

Other

Manufacturer's notes

The information contained in this Safety Data Sheet relates only to the specific materials designated and may not be valid for such material used in combination with any other material or in any process.

Information is given in good faith and is based on the latest information available to The Linde Group and is, to the best of The Linde Group's knowledge and belief, accurate and reliable at the time of preparation. However, no representation, warranty or guarantee is made as to the accuracy, reliability or completeness of the information, and The Linde Group assumes no responsibility and disclaims any liability incurred in using this information.

The product is supplied on the condition that the user accepts the responsibility to satisfy himself as to the suitability and completeness of such information for his own particular use. Freedom from patent rights must not be assumed.
Read this Safety Data Sheet carefully and become aware of hazards implied and the safety information.

End of document